



ZTM053_Cluster_4x125ml_Westrock_v02

		SGS Contact: PM team coord@sgs.com 33 (0) 8 32 85 19 08 49 Bd Maréchal Vaïn, 75015 Paris, FR	AMN Global	SGS# 7647869-1 New Material Code: 10509010	Print Process: Litho # of Colors: 5	Date: 2024-04-08
Project: Project Type: AWARE Overarching Project Name: InnoProAWC Danone MP Number: MP_2400312.001_Cluster Material Description: Countries: PL LT LV	Project Description: Nutricia Nutridrink (C)CL NDR PROT CL REDFR 4X125ML PUL.TLV Cluster PL LT LV New Material Code: 10509010 Current Material Code: 10453221 Production stage: PP ZGEN Code: N/A ZGEN Description:	Corporate Code: 672115 SAP Code: 172115 Barcode: DATAMATRIX 10509010 Production stage: PP Supply Point: Zoetermeer	Technical drawing: ZTM053_Cluster_4x125ml_Westrock_v01.pdf Printer: Westrock Packaging Systems Svitavy s.r.o. Profile: SCP0000_DAVSN_Westrock_Svitavy_Offset_Sur_Custom Kote_DSP026 V1.mn Printer Code: NA		Repro Version V1	

Limitation of Liability: The supplied materials should be thoroughly inspected immediately upon receipt by the recipient for all content, placement and copy accuracy. It is also the responsibility of the recipient to examine and proof read all supplied materials before producing image carriers and printing final product. Should the supplied materials be found to be incorrect please contact an SGS representative immediately. The liability of SGS shall not be responsible for any loss or damage including but not limited to the cost of product, print, image carriers, press delays, or other ancillary cost.

